



Technical Bulletin 249

OCLC-MARC Format Update 2003

ISSN: 1097-9654 April 2003

About Technical Bulletin 249

Contents

Technical Bulletin 249 covers the following topics:

Topic	Page
About Technical Bulletin 249	1
1 Bibliographic Record Changes	2
2 Authority Record Changes	11
3 Additional Changes for OCLC-MARC Records	14
4 MARC Code List Changes	15
Technical Bulletins Online	17
Current OCLC Technical Bulletins	18

Why read this?

To learn about changes to OCLC-MARC records based on:

- MARC 21 Format for Bibliographic Data Update 3 (October 2002)
- MARC 21 Format for Authority Data Update 3 (October 2002)
- MARC Code List Technical Notices

Record processing information

Sections 1, 2 and 3 describe changes that may affect local system processing of OCLC-MARC records.

Route to

Cataloging and local system or automation staff.

Online Installation

May 2003. OCLC will announce installation via a logon Message-of-the-Day or System News.

OCLC micro products

OCLC Cataloging Micro Enhancer[®] for Windows software, OCLC CJK[™] software and OCLC Arabic Cataloging software: Changes will be implemented in new validation tables downloaded to users when the online changes are installed.

Support

Contact your OCLC regional service provider or the user training development manager at OCLC if you are an independent institution.

Contact OCLC for support in English, Spanish and Portuguese. Hours:

7:00 am–9:00 pm U.S. Eastern time, Monday through Friday

USA: 1-800-848-5800

International: 1-614-793-8682

E-mail: support@oclc.org

OCLC System Help

OCLC System Help will incorporate these changes to coincide with the system implementation.

Documentation affected

Authorities User Guide, Bibliographic Formats and Standards, Connexion Help, OCLC Cataloging Service User Guide, OCLC Input Standards Tables, OCLC-MARC Records and Searching WorldCat User Guide

Conventions

Throughout the technical bulletin, **R** = Repeatable and **NR** = Nonrepeatable.

1 Bibliographic Record Changes

Audn Target Audience (BKS, VIS, SCO, REC, COM 008/22; 006/05)

Codes renamed/ redefined	c	Pre-adolescent Formerly, <i>Elementary and junior high</i> The item is intended for young people, approximate ages 9–13 years.
	d	Adolescent Formerly, <i>Secondary (senior high)</i> The item is intended for young people, approximate ages 14–17 years.
Codes redefined	a	Preschool The item is intended for children, approximate ages 0–5 years.
	b	Primary The item is intended for children, approximate ages 6–8 years.
	j	Juvenile The item is intended for children and young people, approximate ages 0–15 years. Use when a more specific code for the juvenile target audience is not desired.

Cont Nature of Contents (BKS 008/24–27; 006/07–10 | SER 008/25–27; 006/08–10)

Code defined	u	Standards/specifications An item is either a national, international or industry standard or a specification giving a precise statement of a process or a service requirement.
--------------	---	---

DtSt Type of Date/Publication Status (BKS, VIS, MIX, MAP, SCO, REC, COM 008/06)

Codes renamed/redefined	c	Continuing resource currently published Formerly, <i>Serial item currently published</i> The continuing resource is currently being published. Currently published is defined as an item for which an issue has been received within the last three years.
	d	Continuing resource ceased publication Formerly, <i>Serial item ceased publication</i> Either new issues of a continuing resource have ceased to be published or a change in author or title has caused a successive entry record to be created.
	u	Continuing resource status unknown Formerly, <i>Serial item status unknown</i> No clear indication exists that the publication of the continuing resource has ceased.

EntW Nature of Entire Work (SER 008/24; 006/07)

Code defined u Standards/specifications
An item is either a national, international or industry standard or a specification giving a precise statement of a process or a service requirement.

ISSN ISSN Center (SER 008/20; 006/03)

Code defined 2 United Kingdom
The ISSN Network data have been assigned or are maintained by the ISSN UK Center in the United Kingdom.

007 Physical Description Fixed Field (Electronic Resource) (R)

Field renamed/redefined Physical Description Fixed Field (Electronic Resource) (R) Required if applicable
Formerly, *Physical Description Fixed Field (Computer File)*
The physical characteristics of an electronic resource.

Subfield ‡a code c renamed/redefined ‡a Category of material (007/00) (NR) Mandatory
c Electronic resource
Formerly, *Computer file*
The category of material to which the item belongs is electronic resource (e.g., data files, digitized audio and video tapes, images files or programs) and which usually consist of digitized machine-readable data, program codes, etc., intended to be accessed, processed or executed by a computer.

Subfield ‡j code c renamed/redefined ‡j Antecedent/Source (007/11) (NR) Optional
c File reproduced from an electronic resource
Formerly, *File reproduced from a computer file*
The electronic resource has been created or copied from an existing electronic resource (e.g., to generate new copies or derivative copies with lower resolution or smaller files size; to process an existing file with Optical Character Recognition (OCR) software; etc.).

007 Physical Description Fixed Field (Sound Recording) (R)

Subfield ‡k redefined	‡k	Kind of material (007/10) (NR) The kind of material used in the manufacture of sound recordings (both instantaneous and mass-produced).	Optional
Subfield ‡k codes defined	b	Cellulose nitrate The item is a cellulose nitrate base. Use for items such as memovox discs.	
	c	Acetate tape with ferrous oxide The item is an acetate base with a ferrous oxide coating. Use for acetate tape and belts, such as magnabelts.	
	g	Glass with lacquer The item is a glass disc base with a lacquer coating.	
	i	Aluminum with lacquer The item is an aluminum disc base with a lacquer coating.	
	r	Paper with lacquer or ferrous oxide The item is a paper or cardboard disc, tape or cylinder base with a lacquer or ferrous oxide coating.	
	z	Other The item cannot be described by any of the available codes.	
Subfield ‡k codes renamed/redefined	a	Lacquer coating The item is lacquered coated, but the base material on which the lacquer is applied is not identified. To also identify the base, use codes <i>g</i> (Glass with lacquer), <i>i</i> (Aluminum with lacquer) or <i>r</i> (Paper with lacquer or ferrous oxide).	
	m	Plastic with metal The item is made of a plastic base with a metal coating. The metal part of such an item is often a thin layer applied to the plastic base. Use for compact audio discs (CDs).	
Subfield ‡k code invalidated	n	Not applicable Obsolete. Do not use.	

011 Linking Library of Congress Control Number (NR)

Field invalidated	011	Linking Library of Congress Control Number (NR) Obsolete. Do not use. Metadata Content Management staff will scan for records and manually delete any remaining 011 fields.	Invalid
--------------------------	-----	--	---------

026 Fingerprint Identifier (R)

Field defined	026 Fingerprint Identifier (R) Optional Use to assist in the identification of antiquarian books by recording information comprising groups of characters taken from specified positions on specified pages of the book, in accordance with the principles laid down in various published guidelines. Identify the guidelines in subfield ‡2. Record fingerprints in a parsed form by using subfield ‡a through ‡d or as a single string of characters in subfield ‡e.														
1st indicator defined	Undefined. The 1st indicator is undefined and contains a blank (). Undefined														
2nd indicator defined	Undefined. The 2nd indicator is undefined and contains a blank (). Undefined														
Subfields defined	<table><tr><td>‡a</td><td>First and second groups of characters (R) Required if applicable The first and second groups of characters comprising a fingerprint identifier.</td></tr><tr><td>‡b</td><td>Third and fourth groups of characters (R) Required if applicable The third and fourth groups of characters comprising a fingerprint identifier.</td></tr><tr><td>‡c</td><td>Date (NR) Required if applicable The date when expressed as part of a fingerprint identifier.</td></tr><tr><td>‡d</td><td>Number of volume or part (R) Required if applicable The number of volume or part when expressed as part of a fingerprint identifier.</td></tr><tr><td>‡e</td><td>Unparsed fingerprint (NR) Required if applicable A complete unparsed fingerprint identifier.</td></tr><tr><td>‡2</td><td>Source (NR) Required if applicable The code that identifies the guidelines followed to establish the fingerprint. See <i>MARC Code Lists for Relators, Sources, Description Conventions</i>.</td></tr><tr><td>‡5</td><td>Institution to which field applies (R) Required if applicable The code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> or <i>Symbols and Interlibrary Loan Policies in Canada</i>.</td></tr></table>	‡a	First and second groups of characters (R) Required if applicable The first and second groups of characters comprising a fingerprint identifier.	‡b	Third and fourth groups of characters (R) Required if applicable The third and fourth groups of characters comprising a fingerprint identifier.	‡c	Date (NR) Required if applicable The date when expressed as part of a fingerprint identifier.	‡d	Number of volume or part (R) Required if applicable The number of volume or part when expressed as part of a fingerprint identifier.	‡e	Unparsed fingerprint (NR) Required if applicable A complete unparsed fingerprint identifier.	‡2	Source (NR) Required if applicable The code that identifies the guidelines followed to establish the fingerprint. See <i>MARC Code Lists for Relators, Sources, Description Conventions</i> .	‡5	Institution to which field applies (R) Required if applicable The code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> or <i>Symbols and Interlibrary Loan Policies in Canada</i> .
‡a	First and second groups of characters (R) Required if applicable The first and second groups of characters comprising a fingerprint identifier.														
‡b	Third and fourth groups of characters (R) Required if applicable The third and fourth groups of characters comprising a fingerprint identifier.														
‡c	Date (NR) Required if applicable The date when expressed as part of a fingerprint identifier.														
‡d	Number of volume or part (R) Required if applicable The number of volume or part when expressed as part of a fingerprint identifier.														
‡e	Unparsed fingerprint (NR) Required if applicable A complete unparsed fingerprint identifier.														
‡2	Source (NR) Required if applicable The code that identifies the guidelines followed to establish the fingerprint. See <i>MARC Code Lists for Relators, Sources, Description Conventions</i> .														
‡5	Institution to which field applies (R) Required if applicable The code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> or <i>Symbols and Interlibrary Loan Policies in Canada</i> .														
Indexing	Field 026 is not indexed.														
Printing	Field 026 does not print.														

034 Coded Cartographic Mathematical Data (R)

Subfields redefined	‡d	Coordinates—westernmost longitude (NR)	Required if applicable
	‡e	Coordinates—easternmost longitude (NR)	Required if applicable
	‡f	Coordinates—northernmost latitude (NR)	Required if applicable
	‡g	Coordinates—southernmost latitude (NR)	Required if applicable

The coordinates may be recorded in the form *hddmmss* (hemisphere, degrees, minutes, seconds), however, **other forms are also now allowed, such as decimal degrees**. The subelements are each right justified and unused positions contain zeros.

Formerly, coordinates in the listed subfields were only recorded in the form *hddmmss*.

046 Special Coded Dates (NR)

Subfields defined	‡j	Date resource modified (NR) The date on which a resource has been modified. Dates in subfield ‡j usually relate to Web pages and other electronic media that routinely record the date of the last update.	Required if applicable
	‡k	Beginning or single date created (NR) The date or beginning of the date range on which a resource has been created when it is not more appropriately recorded in another field. Dates recorded in subfield ‡k may not be coded elsewhere.	Required if applicable
	‡l	Ending date created (NR) The ending date of a date range on which a resource has been created.	Required if applicable
	‡m	Beginning of date valid (NR) The beginning of a date span for the validity of a resource.	Required if applicable
	‡n	End of date valid (NR) The ending of the date span for the validity of a resource.	Required if applicable
	‡2	Source of date (NR) The code that identifies the source of the date scheme used in the field. See <i>MARC Code Lists for Relators, Sources, Description Conventions</i> .	Required if applicable

052 Geographic Classification (R)

1st indicator value invalidated	0	U.S. Department of Defense Classification Obsolete. Do not use.
1st indicator value defined	1	U.S. Department of Defense Classification The geographic classification code is from the U.S. Department of Defense Classification System.

247 Former Title (R)

Field renamed/redefined	247	Former Title (R) Formerly, <i>Former Title or Title Variations</i> A former title proper. Use when one cataloging record represents several titles associated with an entity.	Required if applicable
Subfield ‡a renamed/redefined	‡a	Title Formerly, <i>Title proper/Short title</i> The title proper and alternative title, excluding the designation of the number or name of a part.	Mandatory

506 Restrictions on Access Note (R)

Subfield defined	‡u	Uniform Resource Identifier (R) The Uniform Resource Identifier (URI), for example a URL or URN, which provides electronic access data in a standard syntax. Use this data for automated access to an electronic item using one of the Internet protocols.	Optional
Connexion		<ul style="list-style-type: none">• Field added to the URL Word and URL Phrases indexes.• Field added to the URL verification functionality.	

538 System Details Note (R)

Subfield defined	‡u	Uniform Resource Identifier (R) The Uniform Resource Identifier (URI), for example a URL or URN, which provides electronic access data in a standard syntax. Use this data for automated access to an electronic item using one of the Internet protocols.	Optional
		Note: The addition of subfield ‡u to field 538 was approved in January 2003 and has not yet been published in an update to <i>MARC 21 Format for Bibliographic Data</i> . OCLC is implementing it at this time in support of the Digital Library Federation's Digital Library Registry.	
Connexion		<ul style="list-style-type: none">• Field added to the URL Word and URL Phrases indexes.• Field added to the URL verification functionality.	

540 Terms Governing Use and Reproduction Note (R)

Subfield defined	‡u	Uniform Resource Identifier (R) The Uniform Resource Identifier (URI), for example a URL or URN, which provides electronic access data in a standard syntax. Use this data for automated access to an electronic item using one of the Internet protocols.	Optional
Connexion		<ul style="list-style-type: none">• Field added to the URL Word and URL Phrases indexes.• Field added to the URL verification functionality.	

563 Binding Information (R)

Field defined	563 Binding Information (R) Optional Use for binding information for primarily antiquarian materials, rare books and other special collections. Do not use for serials bound together after publication for shelving and storage purposes.
1st indicator defined	Undefined. The 1st indicator position is undefined and contains a blank (␣). ␣ Undefined
2nd indicator defined	Undefined. The 2nd indicator position is undefined and contains a blank (␣). ␣ Undefined
Subfields defined	‡a Binding note (NR) Mandatory Binding information. ‡u Uniform Resource Identifier (R) Optional The Uniform Resource Identifier (URI), for example a URL or URN, which provides electronic access data in a standard syntax. Use this data for automated access to an electronic item using one of the Internet protocols. ‡3 Materials specified (NR) Optional The portion of the binding that is described in the field. ‡5 Institution to which field applies (NR) Required if applicable The code of the institution or organization that holds the copy to which the field applies. Use for notes that do not apply to the universal description of the item. See <i>MARC Code List for Organizations</i> or <i>Symbols and Interlibrary Loan Policies in Canada</i> .
Connexion	<ul style="list-style-type: none">• Field added to the URL Word and URL Phrases indexes.• Field added to the URL verification functionality.
Printing	Field 563 prints as a note. Subfields ‡a and ‡3 print. Subfields ‡u and ‡5 do not print.

655 Index Term–Genre/Form (R)

2nd indicator renamed/redefined

Thesaurus. The subject heading system or thesaurus used in constructing the genre or form term.
Formerly, *Source of term*

Note: The previous practice for indicating the source of a genre heading was to use 2nd indicator value 7 (Source specified in subfield ‡2) and identify the MARC code for the source list in subfield ‡2. With the new practice, in addition to value 7, specific thesauri are now identified with 2nd indicator values. Users may use either the new or the previous practice to indicate the source of genre headings. Both are still valid.

2nd indicator values defined

- 0 Library of Congress Subject Heading
The genre or form term conforms to the *Library of Congress Subject Headings* (LCSH).
- 1 LC Subject Heading for Children’s Literature
The genre or form term conforms to the “AC Subject Headings” section of LCSH.
- 2 Medical Subject Heading
The genre or form term conforms to the National Library of Medicine (NLM) authority file.
- 3 National Agricultural Library Subject Authority File
The genre or form term conforms to the National Agricultural Library (NAL) subject authority file.
- 4 Source not specified
The genre or form term conforms to a controlled list, but the source cannot be specified by one of the subject heading systems or thesauri covered by the other 2nd indicator values or by a code for a list in subfield ‡2.
- 5 Canadian Subject Heading
The genre or form term conforms to *Canadian Subject Headings*.
- 6 Répertoire de vedettes-matière
The genre or form term conforms to the *Répertoire de vedettes-matière* maintained by the Bibliothèque de l’Université de Laval.

776 Additional Physical Form Entry (R)

2nd indicator value ‡ renamed

- ‡ Available in another form
Formerly, *Available in other form or Issued in other form*

852 Location (R)

Subfield repeatability statuses changed

- | | | |
|----|------------------------|------------------------|
| ‡k | Call number prefix (R) | Required if applicable |
| ‡m | Call number suffix (R) | Required if applicable |
- Formerly, the listed subfields were *Nonrepeatable*

891 Publication Pattern Data (R)

Subfields defined	‡n	Pattern note [Only valid for fields 853–855] (NR)	Optional
		An explanatory note citing the specific year and issue used to prepare the regularity pattern coding expressed in the field.	
	‡p	Number of pieces of issuance [Only valid for fields 853–855] (NR)	Optional
	A numeric value that represents the number of physical parts or pieces received per issuance. This technique allows for describing the behavior of items issued in parts. Subfield ‡p is only coded in cases where the number of parts or pieces is different from the publishing frequency expressed in subfield ‡w. Place all codable frequency information in subfield ‡w.		
	‡p	Piece designation [Only valid for fields 863–865] (NR)	Optional
	An identification of a piece. The designation may be an identification number such as a bar code number or an accession number.		

2 Authority Record Changes

065 Other Classification Number (R)

Field defined	065 Other Classification Number (R) Optional A classification number assigned by a cataloging agency using a scheme other than the <i>Library of Congress Classification</i> scheme or the classification systems of the National Library of Canada, the National Library of Medicine, the National Agricultural Library, the U.S. Government Printing Office and the U.S. Department of Defense. Do not use for classification numbers assigned from a source for which a subfield ‡2 source of number code would not be assigned.
1st indicator defined	Undefined. The 1st indicator position is undefined and contains a blank (b). b Undefined
2nd indicator defined	Undefined. The 2nd indicator position is undefined and contains a blank (b). b Undefined
Subfields defined	‡a Classification number element—single number or beginning number of span (NR) Mandatory A single class number or the first number in a number span.
	‡b Classification number element—ending number of span (NR) Required if applicable The ending number of a number span when the beginning number of the span is recorded in subfield ‡a.
	‡c Explanatory term (NR) Optional A descriptive term or phrase that specifies the topic of the class number. Normally, such a phrase is used to differentiate between two or more class numbers associated with the heading.
	‡2 Number source (NR) Required if applicable A code for the source of the classification scheme. See <i>MARC Code Lists for Relators, Sources, Description Conventions</i> .
	‡5 Institution to which field applies (R) Required if applicable The code of the institution or organization that has added a tracing, reference or linking entry field to an authority file record. Use for institution-specific information that may or may not apply to the universal use of the authority record. See <i>MARC Code List for Organizations or Symbols and Interlibrary Loan Policies in Canada</i> .

670 Source Data Found (R)

Subfield defined	‡u Uniform Resource Identifier (R) Optional The Uniform Resource Identifier (URI), for example a URL or URN, which provides electronic access data in a standard syntax. Use this data for automated access to an electronic item using one of the Internet protocols.
-------------------------	--

748 Established Heading Linking Entry–Chronological Term (R)

Field defined	748 Established Heading Linking Entry–Chronological Term (R) Optional A chronological term that is equivalent to the 148 chronological term or 182 chronological subdivision heading field of the same record. Field 748 links headings within a system or from different thesauri or authority files.
1st indicator defined	Undefined. The 1st indicator position is undefined and contains a blank (⌀). ⌀ Undefined
2nd indicator defined	Thesaurus. The name and/or subject heading system or thesaurus used in constructing the heading. 0 Library of Congress subject heading/Name authority file The heading conforms to the <i>Library of Congress Subject Headings</i> (LCSH) file and/or the Name Authority Cooperative (NACO) file. 1 LC subject heading for children’s literature The heading conforms to the “AC Subject Headings” section of LCSH. 2 Medical subject heading/NLM name authority file The heading conforms to <i>Medical Subject Headings</i> (MeSH) and/or the National Library of Medicine (NLM) authority file. 3 National Agricultural Library subject authority file The heading conforms to the U.S. National Agricultural Library (NAL) subject authority file. 4 Source not specified The heading conforms to a controlled list, but the source cannot be specified by one of the thesaurus or subject heading systems covered by the other 2nd indicator values or by a code for a specific subject heading listed in subfield ‡2. 5 Canadian subject heading/NLC name authority file The heading conforms to <i>Canadian Subject Headings</i> and/or the National Library of Canada name authority file. 6 Répertoire de vedettes-matière The heading conforms to the <i>Répertoire de vedettes-matière</i> maintained by the Bibliothèque de l’Université de Laval. 7 Source specified in subfield ‡2 The heading conforms to a controlled list other than that specified by one of the other defined values and for which an identifying MARC code is added in subfield ‡2.
Subfields defined	‡a Chronological term (NR) Mandatory A chronological term used as an entry element. ‡v Form subdivision (R) Required if applicable A form subdivision that designates a specific kind or genre of material as defined by the thesaurus being used. Use only when a form subject subdivision is added to a main term to form an extended heading.

748 Established Heading Linking Entry–Chronological Term (R) (continued)

Subfields defined (continued)	‡w	Control subfield (NR)	Required if applicable
		Up to two character positions that control the generation of a link display or indicates the complexity of a heading. Use subfield ‡w only if the display is to be suppressed or the replacement of a heading should be reviewed.	
	/0	Link display	
		A one-character code that controls the suppression of a link display:	
		a	Link not displayed
		b	Link not displayed, field 788 used
		c	Link not displayed, non-7xx field used
		n	Not applicable
	/1	Replacement complexity	
		A one-character code that indicates the possibility of automatic replacement of a heading:	
	a	Heading replacement does not require review	
	b	Heading replacement requires review	
	n	Not applicable	
‡x	General subdivision (R)	Required if applicable	
	A subject subdivision that is not more appropriately recorded in subfield ‡v, ‡y and ‡z. Use subfield ‡x only when a general topical subject subdivision is added to a main term to form an extended heading.		
‡y	Chronological subdivision (R)	Required if applicable	
	A subject subdivision that represents a period of time. Use subfield ‡y only when a chronological subject subdivision is added to the main term to form an extended heading.		
‡z	Geographic subdivision (R)	Required if applicable	
	A geographic subject subdivision. Use ‡z only when a geographic subject subdivision is added to a main term to form an extended heading.		
‡0	Record control number (R)	Required if applicable	
	The system control number of the related authority record preceded by the MARC code, enclosed in parentheses for the system to which the control number applies. See <i>MARC Code List for Organizations</i> or <i>Symbols and Interlibrary Loan Policies in Canada</i> .		
‡2	Source of heading or term (NR)	Required if applicable	
	The source of a heading or term when the 2nd indicator position is value 7.		
‡5	Institution to which field applies (R)	Required if applicable	
	The MARC code of the institution or organization that has added a tracing, reference or linking entry field to an authority file record. Use for institution-specific information that may or may not apply to the universal use of the authority record. See <i>MARC Code List for Organizations</i> or <i>Symbols and Interlibrary Loan Policies in Canada</i> .		

3 Additional Changes for OCLC-MARC Records

Note: Changes apply only to exported records or records received through the OCLC-MARC Subscription service.

Record Length (All Formats Leader/00–04)

Leader renamed Record Length
 Formerly, *Logical Record Length*

018 Copyright Article-Fee Code (NR)

Subfield defined ‡6 Linkage (NR) Required if applicable
 Data to link fields that are different script representations of each other. Use for the tag number of the linking field, the occurrence number, the script identification code and the field orientation code.

026 Fingerprint Identifier (R)

Subfield defined ‡6 Linkage (NR) Required if applicable
 Data to link fields that are different script representations of each other. Use for the tag number of the linking field, the occurrence number, the script identification code and the field orientation code.

563 Binding Information (R)

Subfield defined ‡6 Linkage (NR) Required if applicable
 Data to link fields that are different script representations of each other. Use for the tag number of the linking field, the occurrence number, the script identification code and the field orientation code.

4 MARC Code List Changes

Classification Sources

Fields 084 and 852 (Bibliographic) and Field 065 (Authority)–Subfield ‡2

Codes defined	Code	Source
	cutterec	Cutter, Charles Ammi. Expansive classification (Boston: C.A. Cutter)
	rubbks	Bibliotekno-bibliograficheskâ klassifikatsiâ: Srednye tablitsy (Moskva: Izdatel'stvo Liberifâ)

Format Sources

Field 887–Subfield ‡2

Codes defined	Code	Source
	mods	Metadata object description schema (Washington, DC: Library of Congress)

Language Codes

Lang (008/35–37), Fields 040–Subfield ‡b, 041, 242–Subfield ‡y and 775–Subfield ‡e

Codes defined	Code	Language	Previous Code
	ady	Adygei	cau (Caucasian [Other])
	arg	Aragonese Spanish	spa (Spanish)
	crh	Crimean Tatar	tut (Altaic [Other])
	dar	Dargwa	cau (Caucasian [Other])
	hat	Haitian French Creole	cpf (Creoles and Pidgins, French-based [Other])
	inh	Ingush	cau (Caucasian [Other])
	kbd	Kabardian	cau (Caucasian [Other])
	nog	Nogai	tut (Altaic [Other])
	udm	Udmurt	fiu (Finno-Ugrian [Other])
	xal	Kalmyk	tut (Altaic [Other])

Other Sources

Field 524–Subfield ‡2

Code defined	Code	Source
	nlmrfbc	National Library of Medicine recommended formats for bibliographic citation (Bethesda, MD: U.S. Dept. of Health and Human Services, Public Health Service, National Institutes of Health, National Library of Medicine)

Relator Codes

Access Fields–Subfield †4

Code defined	Code	Source
	rpy	Responsible party The person or corporate body legally responsible for the content of the published material.

Term, Name, Title Sources

Fields 600 through 651 and 655 through 658–Subfield †2

Codes defined	Code	Source
	ica sipri	Index of Christian art (Princeton, NJ: Princeton University) SIPRI library thesaurus (Stockholm: Stockholm International Peace Research Institute)

Field 655–Subfield †2

Code defined	Code	Source
	marcgt	MARC genre terms (Washington, DC: Library of Congress)

Field 658–Subfield †2

Code defined	Code	Source
	moss	Missouri show-me standards (Jefferson City, MO: Dept. of Elementary and Secondary Education)

Technical Bulletins Online

Introduction

This section covers retrieving technical bulletins in electronic form.

OCLC web site

To access technical bulletins on the OCLC Web site:

	Action
1	Type www.oclc.org/technicalbulletins/ in the address bar of your Web browser.
2	Click the name of the technical bulletin you want to view.

Internet list

To subscribe to TECHBUL-L—a public list that e-mails an announcement of availability of new technical bulletins on the OCLC Web site:

Action
Type www.oclc.org/oclc/forms/listserv.htm in the address bar of your Web browser. Click Submit after you complete the Internet List Request form.
Or
Type subscribe techbul-l in the body of an e-mail message and send it to listserv@oclc.org .
To unsubscribe, type unsubscribe techbul-l in the body of an e-mail message, and send it to listserv@oclc.org or use the Internet List Request form.

Comments

The OCLC Documentation Department welcomes comments about this document. Please send them via e-mail to **doc@oclc.org**.

Current OCLC Technical Bulletins

List below is current as of November 2004. Technical Bulletins not listed are obsolete. Please discard them or mark them obsolete.

Reminder: Effective March 20, 2003, OCLC discontinued issuing printed copies of technical bulletins.

No.	Date	Title	OCLC Documentation Affected
251	0411	<i>Connexion WorldCat Searching</i>	<i>Searching WorldCat User Guide, Searching WorldCat Quick Reference, Find Bibliographic Records (Connexion browser)</i>
250	0310	<i>Parallel Records</i>	<i>Bibliographic Formats and Standards, Enhance Training Outline, OCLC Cataloging Service User Guide</i>
249	0304	<i>OCLC-MARC Format Update 2003</i>	<i>Authorities User Guide, Bibliographic Formats and Standards, OCLC Cataloging Service User Guide, OCLC Input Standards Tables, OCLC-MARC Records, Searching WorldCat User Guide</i>
247	0211	<i>OCLC-MARC Format Update 2002</i>	<i>Bibliographic Formats and Standards, Cataloging Electronic Resources, OCLC Cataloging Service User Guide</i>
246	0207	<i>Database Enrichment</i>	<i>Bibliographic Formats and Standards, OCLC Cataloging Service User Guide</i>
244	0107	<i>OCLC-MARC Format Update 2001</i>	<i>OCLC Cataloging Service User Guide</i>
242	0104	<i>OCLC Symbol Expansion</i>	<i>Union List User Guide</i>
241	0011	<i>National Library Control Number Changes</i>	<i>OCLC Cataloging Service User Guide, Union List User Guide</i>
240	0008	<i>Pinyin Conversion Project</i>	<i>OCLC Cataloging Service User Guide</i>

